

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-04 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	1	1	0	0%
St. Louis County	1	1	0	0%
Kansas City	1	0	-1	0%
Springfield/Greene	0	0	0	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	0	1	1	0%
<i>Central</i>	0	0	0	0%
<i>Southeastern</i>	1	0	-1	0%
<i>Southwestern</i>	0	1	1	0%
<i>Eastern</i>	1	0	-1	0%
<hr/>				
Institutionalized Patients*	0	0	0	0%
<b>TOTAL**</b>	<b>5</b>	<b>4</b>	<b>-1</b>	<b>0%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-13 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	0	2	2	0%
St. Louis County	6	2	-4	0%
Kansas City	1	1	0	0%
Springfield/Greene	0	0	0	0%
<hr style="border-top: 1px dashed black;"/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	11	3	-8	0%
<i>Central</i>	2	1	-1	0%
<i>Southeastern</i>	0	1	1	0%
<i>Southwestern</i>	2	1	-1	0%
<i>Eastern</i>	0	1	1	100%
<hr style="border-top: 1px dashed black;"/>				
Institutionalized Patients*	0	2	2	0%
<b>TOTAL**</b>	<b>22</b>	<b>14</b>	<b>-8</b>	<b>7%</b>

*\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.*

*Provisional Data from the Websurv System Subject to Change*

*\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.*

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-13 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	1	2	1	0%
St. Louis County	6	4	-2	25%
Kansas City	4	1	-3	0%
Springfield/Greene	0	0	0	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	11	4	-7	0%
<i>Central</i>	2	3	1	0%
<i>Southeastern</i>	0	1	1	0%
<i>Southwestern</i>	5	2	-3	0%
<i>Eastern</i>	1	1	0	100%
<hr/>				
Institutionalized Patients*	0	2	2	0%
<b>TOTAL**</b>	<b>30</b>	<b>20</b>	<b>-10</b>	<b>10%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-17 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	4	2	-2	0%
St. Louis County	6	7	1	43%
Kansas City	5	3	-2	67%
Springfield/Greene	0	1	1	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	12	6	-6	17%
<i>Central</i>	3	6	3	0%
<i>Southeastern</i>	0	2	2	0%
<i>Southwestern</i>	5	2	-3	50%
<i>Eastern</i>	2	1	-1	100%
<hr/>				
Institutionalized Patients*	0	2	2	0%
<b>TOTAL**</b>	<b>37</b>	<b>32</b>	<b>-5</b>	<b>25%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-21 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	5	3	-2	0%
St. Louis County	6	7	1	43%
Kansas City	5	5	0	40%
Springfield/Greene	0	1	1	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	12	7	-5	14%
<i>Central</i>	5	6	1	0%
<i>Southeastern</i>	0	3	3	0%
<i>Southwestern</i>	5	2	-3	50%
<i>Eastern</i>	2	2	0	50%
<hr/>				
Institutionalized Patients*	0	3	3	0%
<b>TOTAL**</b>	<b>40</b>	<b>39</b>	<b>-1</b>	<b>21%</b>

*\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.*

*Provisional Data from the Websurv System Subject to Change*

*\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.*

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-26 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	6	3	-3	0%
St. Louis County	9	11	2	45%
Kansas City	6	5	-1	40%
Springfield/Greene	1	1	0	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	16	9	-7	11%
<i>Central</i>	5	8	3	25%
<i>Southeastern</i>	0	5	5	0%
<i>Southwestern</i>	5	2	-3	50%
<i>Eastern</i>	2	3	1	67%
<hr/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>50</b>	<b>51</b>	<b>1</b>	<b>27%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-30 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	7	6	-1	0%
St. Louis County	9	14	5	43%
Kansas City	7	6	-1	33%
Springfield/Greene	1	1	0	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	18	10	-8	20%
<i>Central</i>	7	8	1	25%
<i>Southeastern</i>	1	5	4	0%
<i>Southwestern</i>	5	3	-2	33%
<i>Eastern</i>	3	3	0	67%
<hr/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>58</b>	<b>60</b>	<b>2</b>	<b>27%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-34 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	7	6	-1	0%
St. Louis County	9	16	7	38%
Kansas City	7	9	2	22%
Springfield/Greene	1	1	0	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	20	14	-6	14%
<i>Central</i>	7	8	1	25%
<i>Southeastern</i>	1	6	5	0%
<i>Southwestern</i>	5	4	-1	25%
<i>Eastern</i>	3	4	1	50%
<hr/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>60</b>	<b>72</b>	<b>12</b>	<b>22%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services



# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-38 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	10	7	-3	0%
St. Louis County	11	17	6	35%
Kansas City	8	11	3	18%
Springfield/Greene	1	1	0	0%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	24	15	-9	13%
<i>Central</i>	6	9	3	22%
<i>Southeastern</i>	1	6	5	0%
<i>Southwestern</i>	9	4	-5	25%
<i>Eastern</i>	5	4	-1	50%
<hr/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>75</b>	<b>78</b>	<b>3</b>	<b>21%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-43 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	14	9	-5	0%
St. Louis County	11	19	8	32%
Kansas City	9	12	3	33%
Springfield/Greene	1	3	2	33%
<hr style="border-top: 1px dashed black;"/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	25	16	-9	13%
<i>Central</i>	6	10	4	30%
<i>Southeastern</i>	1	6	5	0%
<i>Southwestern</i>	10	5	-5	40%
<i>Eastern</i>	6	4	-2	50%
<hr style="border-top: 1px dashed black;"/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>83</b>	<b>88</b>	<b>5</b>	<b>24%</b>

*\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.*

*Provisional Data from the Websurv System Subject to Change*

*\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.*

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-47 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	14	9	-5	0%
St. Louis County	11	20	9	30%
Kansas City	10	14	4	29%
Springfield/Greene	1	4	3	25%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	26	16	-10	13%
<i>Central</i>	6	11	5	36%
<i>Southeastern</i>	1	6	5	0%
<i>Southwestern</i>	10	6	-4	50%
<i>Eastern</i>	6	5	-1	40%
<hr/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>85</b>	<b>95</b>	<b>10</b>	<b>24%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services

# MISSOURI MONTHLY TUBERCULOSIS DISEASE REPORT

## Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-52 2015 versus 2016

Geographic Area	Number of Counted Cases: 2015	Number of Counted Cases: 2016	Difference in Number of Counted Cases: 2015 to 2016	Percent of 2016 Cases that were Preventable
St. Louis City	14	10	-4	0%
St. Louis County	16	22	6	32%
Kansas City	11	15	4	27%
Springfield/Greene	1	4	3	25%
<hr/>				
<u>Region(excluding metropolitan areas)</u>				
<i>Northwestern</i>	27	16	-11	13%
<i>Central</i>	6	12	6	33%
<i>Southeastern</i>	2	6	4	0%
<i>Southwestern</i>	10	6	-4	50%
<i>Eastern</i>	6	5	-1	40%
<hr/>				
Institutionalized Patients*	0	4	4	25%
<b>TOTAL**</b>	<b>93</b>	<b>100</b>	<b>7</b>	<b>24%</b>

\*Institutionalized patients are those individuals who are incarcerated in federal or state prisons.

Provisional Data from the Websurv System Subject to Change

\*\* The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2016 counted cases.

Bureau of Communicable Disease Control and Prevention  
Section for Disease Prevention  
Division of Community and Public Health  
Missouri Department of Health and Senior Services